



SHUTTER VALVES (ARC VALVES)



Inch





2-way shutter valve, manual, welded ends

VALVE SIZE inch (mm)	Type	Ø d1	Ø d2	H	h	L	L1
1.00 (25.4)	25C52M21	0.87 (22.1)	1.00 (25.4)	5.71 (145)	1.97 (50)	4.33 (110)	6.30 (160)
1.50 (38.1)	38C52M21	1.37 (34.8)	1.50 (38.1)	7.09 (180)	2.56 (65)	5.51 (140)	6.30 (160)
2.00 (50.8)	51C52M21	1.87 (47.5)	2.00 (50.8)	7.48 (190)	2.76 (70)	6.46 (164)	7.48 (190)
2.50 (63.5)	63C52M21	2.37 (60.2)	2.50 (63.5)	7.87 (200)	2.95 (75)	8.27 (210)	7.48 (190)
3.00 (76.2)	76C52M21	2.87 (72.9)	3.00 (76.2)	8.46 (215)	3.15 (80)	8.66 (220)	7.48 (190)
4.00 (101.6)	102C52M21	3.83 (97.4)	4.00 (101.6)	10.43 (265)	4.33 (110)	12.20 (310)	10.63 (270)
6.00 (152.4)	152C52M	5.78 (146.9)	6.00 (152.4)	13.58 (345)	5.51 (140)	19.69 (500)	10.63 (270)

2-way shutter valve, manual, TC-clamp

VALVE SIZE inch (mm)	Type	Ø d1	Ø D	H	h	L	L1
1.00 (25.4)	25C520M21	0.87 (22.1)	1.99 (50.5)	5.71 (145)	1.97 (50)	5.31 (135)	6.30 (160)
1.50 (38.1)	38C520M21	1.37 (34.8)	1.99 (50.5)	7.09 (180)	2.56 (65)	6.50 (165)	6.30 (160)
2.00 (50.8)	51C520M21	1.87 (47.5)	2.52 (64.0)	7.48 (190)	2.76 (70)	7.44 (189)	7.48 (190)
2.50 (63.5)	63C520M21	2.37 (60.2)	3.05 (77.5)	7.87 (200)	2.95 (75)	9.25 (235)	7.48 (190)
3.00 (76.2)	76C520M21	2.87 (72.9)	3.58 (91.0)	8.46 (215)	3.15 (80)	9.65 (245)	7.48 (190)
4.00 (101.6)	102C520M21	3.83 (97.4)	4.68 (119.0)	10.43 (265)	4.33 (110)	13.19 (335)	10.63 (270)
6.00 (152.4)	152C520M	5.78 (146.9)	6.57 (167.0)	13.58 (345)	5.51 (140)	19.69 (500)	10.63 (270)

SHUTTER VALVES (ARC VALVES)



Inch

2-way shutter valve, pneumatic (air/air - air/spring), welded ends

VALVE SIZE inch (mm)	Type	Ø d1	Ø d2	H	h	L	Ø D1
1.00 (25.4)	25C52A21	0.87 (22.1)	1.00 (25.4)	11.81 (300)	1.97 (50)	4.33 (110)	3.50 (89)
1.50 (38.1)	38C52A21	1.37 (34.8)	1.50 (38.1)	13.19 (335)	2.56 (65)	5.51 (140)	3.50 (89)
2.00 (50.8)	51C52A21	1.87 (47.5)	2.00 (50.8)	13.39 (340)	2.76 (70)	6.46 (164)	4.09 (104)
2.50 (63.5)	63C52A21	2.37 (60.2)	2.50 (63.5)	13.98 (355)	2.95 (75)	8.27 (210)	4.09 (104)
3.00 (76.2)	76C52A21	2.87 (72.9)	3.00 (76.2)	16.61 (422)	3.15 (80)	8.66 (220)	5.08 (129)
4.00 (101.6)	102C52A21	3.83 (97.4)	4.00 (101.6)	18.66 (474)	4.33 (110)	12.20 (310)	5.08 (129)

2-way shutter valve, pneumatic (air/air - air/spring), TC-clamp

VALVE SIZE inch (mm)	Type	Ø d1	Ø D	H	h	L	Ø D1
1.00 (25.4)	25C520A21	0.87 (22.1)	1.99 (50.5)	11.81 (300)	1.97 (50)	5.31 (135)	3.50 (89)
1.50 (38.1)	38C520A21	1.37 (34.8)	1.99 (50.5)	13.19 (335)	2.56 (65)	6.50 (165)	3.50 (89)
2.00 (50.8)	51C520A21	1.87 (47.5)	2.52 (64.0)	13.39 (340)	2.76 (70)	7.44 (189)	4.09 (104)
2.50 (63.5)	63C520A21	2.37 (60.2)	3.05 (77.5)	13.98 (355)	2.95 (75)	9.25 (235)	4.09 (104)
3.00 (76.2)	76C520A21	2.87 (72.9)	3.58 (91.0)	16.61 (422)	3.15 (80)	9.65 (245)	5.08 (129)
4.00 (101.6)	102C520A21	3.83 (97.4)	4.68 (119.0)	18.66 (474)	4.33 (110)	13.19 (335)	5.08 (129)



2-way shutter valve, pneumatic (air/air - air/spring), welded ends

VALVE SIZE inch (mm)	Type	Ø d1	Ø d2	H	h	L	L1
1.00 (25.4)	25C52Ab21	0.87 (22.1)	1.00 (25.4)	11.30 (287)	1.97 (50)	4.33 (110)	6.34 (161)
1.50 (38.1)	38C52Ab21	1.37 (34.8)	1.50 (38.1)	12.60 (320)	2.56 (65)	5.51 (140)	6.34 (161)
2.00 (50.8)	51C52Ab21	1.87 (47.5)	2.00 (50.8)	12.91 (328)	2.76 (70)	6.46 (164)	6.34 (161)
2.50 (63.5)	63C52Ab21	2.37 (60.2)	2.50 (63.5)	13.46 (342)	2.95 (75)	8.27 (210)	6.34 (161)
3.00 (76.2)	76C52Ab21	2.87 (72.9)	3.00 (76.2)	14.57 (370)	3.15 (80)	8.66 (220)	8.23 (209)
4.00 (101.6)	102C52Ab21	3.83 (97.4)	4.00 (101.6)	16.65 (423)	4.33 (110)	12.20 (310)	8.23 (209)
6.00 (152.4)	152C52Ab	5.78 (146.9)	6.00 (152.4)	21.26 (540)	5.51 (140)	19.69 (500)	13.11 (333)

2-way shutter valve, pneumatic (air/air - air/spring), TC-clamp

VALVE SIZE inch (mm)	Type	Ø d1	Ø D	H	h	L	L1
1.00 (25.4)	25C520Ab21	0.87 (22.1)	1.99 (50.5)	11.30 (287)	1.97 (50)	5.31 (135)	6.34 (161)
1.50 (38.1)	38C520Ab21	1.37 (34.8)	1.99 (50.5)	12.60 (320)	2.56 (65)	6.50 (165)	6.34 (161)
2.00 (50.8)	51C520Ab21	1.87 (47.5)	2.52 (64.0)	12.91 (328)	2.76 (70)	7.44 (189)	6.34 (161)
2.50 (63.5)	63C520Ab21	2.37 (60.2)	3.05 (77.5)	13.46 (342)	2.95 (75)	9.25 (235)	6.34 (161)
3.00 (76.2)	76C520Ab21	2.87 (72.9)	3.58 (91.0)	14.57 (370)	3.15 (80)	9.65 (245)	8.23 (209)
4.00 (101.6)	102C520Ab21	3.83 (97.4)	4.68 (119.0)	16.65 (423)	4.33 (110)	13.19 (335)	8.23 (209)
6.00 (152.4)	152C520Ab	5.78 (146.9)	6.57 (167.0)	21.26 (540)	5.51 (140)	19.69 (500)	13.11 (333)

SHUTTER VALVES (ARC VALVES)



Inch





3-way shutter valve, manual, welded ends

VALVE SIZE inch (mm)	Type	Ø d1	Ø d2	H	h	L	L1
1.00 (25.4)	25C53M21	0.87 (22.1)	1.00 (25.4)	5.71 (145)	1.97 (50)	4.33 (110)	6.30 (160)
1.50 (38.1)	38C53M21	1.37 (34.8)	1.50 (38.1)	7.09 (180)	2.56 (65)	5.51 (140)	6.30 (160)
2.00 (50.8)	51C53M21	1.87 (47.5)	2.00 (50.8)	7.48 (190)	2.76 (70)	6.46 (164)	7.48 (190)
2.50 (63.5)	63C53M21	2.37 (60.2)	2.50 (63.5)	7.87 (200)	2.95 (75)	8.27 (210)	7.48 (190)
3.00 (76.2)	76C53M21	2.87 (72.9)	3.00 (76.2)	8.46 (215)	3.15 (80)	8.66 (220)	7.48 (190)
4.00 (101.6)	102C53M21	3.83 (97.4)	4.00 (101.6)	10.43 (265)	4.33 (110)	12.20 (310)	10.63 (270)
6.00 (152.4)	152C53M	5.78 (146.9)	6.00 (152.4)	13.58 (345)	5.51 (140)	19.69 (500)	10.63 (270)

3-way shutter valve, manual, TC-clamp

VALVE SIZE inch (mm)	Type	Ø d1	Ø D	H	h	L	L1
1.00 (25.4)	25C530M21	0.87 (22.1)	1.99 (50.5)	5.71 (145)	1.97 (50)	5.31 (135)	6.30 (160)
1.50 (38.1)	38C530M21	1.37 (34.8)	1.99 (50.5)	7.09 (180)	2.56 (65)	6.50 (165)	6.30 (160)
2.00 (50.8)	51C530M21	1.87 (47.5)	2.52 (64.0)	7.48 (190)	2.76 (70)	7.44 (189)	7.48 (190)
2.50 (63.5)	63C530M21	2.37 (60.2)	3.05 (77.5)	7.87 (200)	2.95 (75)	9.25 (235)	7.48 (190)
3.00 (76.2)	76C530M21	2.87 (72.9)	3.58 (91.0)	8.46 (215)	3.15 (80)	9.65 (245)	7.48 (190)
4.00 (101.6)	102C530M21	3.83 (97.4)	4.68 (119.0)	10.43 (265)	4.33 (110)	13.19 (335)	10.63 (270)
6.00 (152.4)	152C530M	5.78 (146.9)	6.57 (167.0)	13.58 (345)	5.51 (140)	19.69 (500)	10.63 (270)

SHUTTER VALVES (ARC VALVES)



Inch

3-way shutter valve, pneumatic (air/air - air/spring), welded ends

VALVE SIZE inch (mm)	Type	Ø d1	Ø d2	H	h	L	Ø D1
1.00 (25.4)	25C53A21	0.87 (22.1)	1.00 (25.4)	11.81 (300)	1.97 (50)	4.33 (110)	3.50 (89)
1.50 (38.1)	38C53A21	1.37 (34.8)	1.50 (38.1)	13.19 (335)	2.56 (65)	5.51 (140)	3.50 (89)
2.00 (50.8)	51C53A21	1.87 (47.5)	2.00 (50.8)	13.39 (340)	2.76 (70)	6.46 (164)	4.09 (104)
2.50 (63.5)	63C53A21	2.37 (60.2)	2.50 (63.5)	13.98 (355)	2.95 (75)	8.27 (210)	4.09 (104)
3.00 (76.2)	76C53A21	2.87 (72.9)	3.00 (76.2)	16.61 (422)	3.15 (80)	8.66 (220)	5.08 (129)
4.00 (101.6)	102C53A21	3.83 (97.4)	4.00 (101.6)	18.66 (474)	4.33 (110)	12.20 (310)	5.08 (129)

3-way shutter valve, pneumatic (air/air - air/spring), TC-clamp

VALVE SIZE inch (mm)	Type	Ø d1	Ø D	H	h	L	Ø D1
1.00 (25.4)	25C530A21	0.87 (22.1)	1.99 (50.5)	11.81 (300)	1.97 (50)	5.31 (135)	3.50 (89)
1.50 (38.1)	38C530A21	1.37 (34.8)	1.99 (50.5)	13.19 (335)	2.56 (65)	6.50 (165)	3.50 (89)
2.00 (50.8)	51C530A21	1.87 (47.5)	2.52 (64.0)	13.39 (340)	2.76 (70)	7.44 (189)	4.09 (104)
2.50 (63.5)	63C530A21	2.37 (60.2)	3.05 (77.5)	13.98 (355)	2.95 (75)	9.25 (235)	4.09 (104)
3.00 (76.2)	76C530A21	2.87 (72.9)	3.58 (91.0)	16.61 (422)	3.15 (80)	9.65 (245)	5.08 (129)
4.00 (101.6)	102C530A21	3.83 (97.4)	4.68 (119.0)	18.66 (474)	4.33 (110)	13.19 (335)	5.08 (129)

3-way shutter valve, pneumatic (air/air - air/spring), welded ends

VALVE SIZE inch (mm)	Type	Ø d1	Ø d2	H	h	L	L1
1.00 (25.4)	25C53Ab21	0.87 (22.1)	1.00 (25.4)	11.30 (287)	1.97 (50)	4.33 (110)	6.34 (161)
1.50 (38.1)	38C53Ab21	1.37 (34.8)	1.50 (38.1)	12.60 (320)	2.56 (65)	5.51 (140)	6.34 (161)
2.00 (50.8)	51C53Ab21	1.87 (47.5)	2.00 (50.8)	12.91 (328)	2.76 (70)	6.46 (164)	6.34 (161)
2.50 (63.5)	63C53Ab21	2.37 (60.2)	2.50 (63.5)	13.46 (342)	2.95 (75)	8.27 (210)	6.34 (161)
3.00 (76.2)	76C53Ab21	2.87 (72.9)	3.00 (76.2)	14.57 (370)	3.15 (80)	8.66 (220)	8.23 (209)
4.00 (101.6)	102C53Ab21	3.83 (97.4)	4.00 (101.6)	16.65 (423)	4.33 (110)	12.20 (310)	8.23 (209)
6.00 (152.4)	152C53Ab	5.78 (146.9)	6.00 (152.4)	21.26 (540)	5.51 (140)	19.69 (500)	13.11 (333)

3-way shutter valve, pneumatic (air/air - air/spring), TC-clamp

VALVE SIZE inch (mm)	Type	Ø d1	Ø D	H	h	L	L1
1.00 (25.4)	25C530Ab21	0.87 (22.1)	1.99 (50.5)	11.30 (287)	1.97 (50)	5.31 (135)	6.34 (161)
1.50 (38.1)	38C530Ab21	1.37 (34.8)	1.99 (50.5)	12.60 (320)	2.56 (65)	6.50 (165)	6.34 (161)
2.00 (50.8)	51C530Ab21	1.87 (47.5)	2.52 (64.0)	12.91 (328)	2.76 (70)	7.44 (189)	6.34 (161)
2.50 (63.5)	63C530Ab21	2.37 (60.2)	3.05 (77.5)	13.46 (342)	2.95 (75)	9.25 (235)	6.34 (161)
3.00 (76.2)	76C530Ab21	2.87 (72.9)	3.58 (91.0)	14.57 (370)	3.15 (80)	9.65 (245)	8.23 (209)
4.00 (101.6)	102C530Ab21	3.83 (97.4)	4.68 (119.0)	16.65 (423)	4.33 (110)	13.19 (335)	8.23 (209)
6.00 (152.4)	152C530Ab	5.78 (146.9)	6.57 (167.0)	21.26 (540)	5.51 (140)	19.69 (500)	13.11 (333)

